

# CARRIER-WMT 5 (30X4,2) - Marker carriers



0827319

<https://www.phoenixcontact.com/us/products/0827319>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Marker carriers, transparent, unmarked, cable diameter range: 2.5 ... 5 mm, mounting type: slide-on

## Commercial data

|                                      |                                |
|--------------------------------------|--------------------------------|
| Item number                          | 0827319                        |
| Packing unit                         | 1 pc                           |
| Note                                 | Made to order (non-returnable) |
| Sales key                            | BG12                           |
| Product key                          | BG221A                         |
| GTIN                                 | 4046356435659                  |
| Weight per piece (including packing) | 0.694 g                        |
| Weight per piece (excluding packing) | 0.668 g                        |
| Customs tariff number                | 39269097                       |
| Country of origin                    | SE                             |

# CARRIER-WMT 5 (30X4,2) - Marker carriers



0827319

<https://www.phoenixcontact.com/us/products/0827319>

## Technical data

### Product properties

|              |                 |
|--------------|-----------------|
| Product type | Marker carriers |
|--------------|-----------------|

### Dimensions

|        |       |
|--------|-------|
| Width  | 7 mm  |
| Length | 30 mm |

### Material specifications

|  |                                |
|--|--------------------------------|
| Color                                  | transparent                    |
| Material                               | PVC                            |
| Flammability rating according to UL 94 | V0                             |
| Components                             | Free from silicone and cadmium |

### Cable/line

|                         |                 |
|-------------------------|-----------------|
| External cable diameter | 2.5 mm ... 5 mm |
|-------------------------|-----------------|

### Environmental and real-life conditions

#### Ambient conditions

|                                 |                  |
|---------------------------------|------------------|
| Ambient temperature (operation) | -30 °C ... 60 °C |
|---------------------------------|------------------|

### Mounting

|               |          |
|---------------|----------|
| Mounting type | slide-on |
|---------------|----------|

# CARRIER-WMT 5 (30X4,2) - Marker carriers



0827319

<https://www.phoenixcontact.com/us/products/0827319>

## Environmental product compliance

### EU RoHS

|   |                    |
|---|--------------------|
| Fulfills EU RoHS substance requirements | Yes, No exemptions |
|---|--------------------|

### EU REACH SVHC

|                                     |                            |
|-------------------------------------|----------------------------|
| REACH candidate substance (CAS No.) | No substance above 0.1 wt% |
|-------------------------------------|----------------------------|

Phoenix Contact 2025 © - all rights reserved

<https://www.phoenixcontact.com>

Phoenix Contact USA  
586 Fulling Mill Road  
Middletown, PA 17057, United States  
(+717) 944-1300  
[info@phoenixcon.com](mailto:info@phoenixcon.com)